

(FILE 'HOME' ENTERED AT 10:40:26 ON 19 MAY 2009)

FILE 'CAPLUS' ENTERED AT 10:40:43 ON 19 MAY 2009  
E US2003-690811/AP

L1 1 S E3

FILE 'REGISTRY' ENTERED AT 10:41:47 ON 19 MAY 2009  
E VINYL ACETATE/CN

L2 1 S E5

E VINYL ACETATE-VINYL PYRROLIDONE/CN

L3 0 S E3

L4 792687 S E

L5 1 S E2

FILE 'CAPLUS, USPATFULL, CA, MEDLINE, BIOSIS, EMBASE' ENTERED AT 10:42:57  
ON 19 MAY 2009

L6 7117 S L5

L7 62023 S L2

L8 7117 S L6 OR L6

L9 68249 S L6 OR L7

L10 740 S L9 (L) ((HEAT SEAL?) OR (HOT MELT) OR (PRESSURE SENSITIVE))

L11 2 S L10 AND ORAL

L12 0 S L10 AND (PERORAL OR MOUTH OR TROCHE)

L13 70 S L10 (L) FILM

L14 36 DUP REM L13 (34 DUPLICATES REMOVED)

L15 22 S L14 AND (PY<2001 OR AY<2001)

L16 410 S ORAL FILM

L17 974912 S HIS

L18 13 S L9 AND L16

L19 4 S L18 AND ((WATER SWELL?) OR (SODIUM POLYACRYLATE))

L20 2 DUP REM L19 (2 DUPLICATES REMOVED)

FILE 'REGISTRY' ENTERED AT 17:25:55 ON 19 MAY 2009

E VINYL ACETATE/CN

L1 1 S E5

E VINYL ACETATE-VINYL PYRROLIDONE/CN

L2 1 S E2

FILE 'CA, CAPLUS, MEDLINE, BIOSIS, EMBASE' ENTERED AT 17:26:44 ON 19 MAY  
2009

L3 55810 S L1

L4 5745 S L2

L5 546 S (L3 OR L4) (L) SEAL?

L6 1912 S SEAL? (L) TABLET

L7 2 S L5 AND L6

L8 1 DUP REM L7 (1 DUPLICATE REMOVED)

L9 468 S (L3 OR L4) (L) TABLET

L10 22 S L9 AND (BILAYER OR BI-LAYER OR MULTI-LAYER OR MULTILAYER OR

L11 11 DUP REM L10 (11 DUPLICATES REMOVED)

L12 192 S (L3 OR L4) (L) (ADHESIVE LAYER)

L13 3549 S (BILAYER OR BI-LAYER OR MULTI-LAYER OR MULTILAYER OR (MULTI L

L14 0 S L13 AND L12

L15 24 S L13 AND (ADHESIVE LAYER)

L16 12 DUP REM L15 (12 DUPLICATES REMOVED)